

University of Groningen

Distinctly variable mudscapes

Compton, Tanya J.; Holthuijsen, Sander; Koolhaas, Anita; Dekinga, Anne; ten Horn, Job; Smith, Jeremy; Galama, Ysbrand; Brugge, Maarten; van der Wal, Daphne; van der Meer, Jaap

Published in:
Journal of Sea Research

DOI:
[10.1016/j.seares.2013.02.002](https://doi.org/10.1016/j.seares.2013.02.002)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2013

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Compton, T. J., Holthuijsen, S., Koolhaas, A., Dekinga, A., ten Horn, J., Smith, J., Galama, Y., Brugge, M., van der Wal, D., van der Meer, J., van der Veer, H. W., & Piersma, T. (2013). Distinctly variable mudscapes: Distribution gradients of intertidal macrofauna across the Dutch Wadden Sea. *Journal of Sea Research*, 82, 103-116. <https://doi.org/10.1016/j.seares.2013.02.002>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).


The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Appendix 1. Compton et al. The gridded environmental layers available for this analysis included exposure time (ET, 2010, panel1), salinity during a wet period (sal, panel 2), microphytobenthos biomass (NDVI, 2010, panel 3) and median grain size (MGS, 2010, panel 4).



Appendix 1. Compton et al. Maximum tidal current speeds (maxcurr) and orbital velocities (orbgolf) across the Dutch Wadden Sea.

